INDEX OF AUTHORS AND SUBJECTS

The prefix 'S' before a page number signifies appearance in Supplement 1

ALERSTAM, THOMAS, *see* GUDMUNDSON, GUDMUNDUR A.

ALONSO, JUAN C., *see* HEREDIA, BORJA

AMIR, OSMAN GEDOW, *see* SMITH, EDMUND F.G.

ANDERSON, DAVID J., Apparent predator-limited distribution of Galápagos Red-footed Boobies *Sula sula*, 26–29

ARCTANDER, PETER, *see* SMITH, EDMUND F.G.

ASHER, A., *see* NEWTON, I.

BAILLIE, STEPHEN R., *see* GREENWOOD, JEREMY J.D.

BAILLIE, STEPHEN, *see* PEACH, WILL

BAZELY, D.R., EWINS, P.J. & MCCLEERY, R.H., Possible effects of local enrichment by gulls on feeding site selection by wintering Barnacle Geese *Branta leucopsis*, 111–114

BENSCH, STAFFAN, HASSELQUIST, DENNIS, HEDENSTRÖM, ANDERS & OTTOSSON, ULF, Rapid moult among palaearctic passerines in West Africa—an adaptation to the oncoming dry season?, 47–52

BIEBACH, HERBERT, FRIEDRICH, WOLFGANG, HEINE, GEORG, JENNI, LUKAS, JENNI-EIERMANN, SUSANNE & SCHMIDL, DIETER, The daily pattern of autumn bird migraion in the northern Sahara, 414–422

BILDSTEIN, KEITH L., FREDERICK, PETER & JOHNSTON, JAMES, Long-term studies of American White Ibises *Eudocimus albus* breeding in coastal South Carolina, S134

BIORET, F., *see* BRETAGNOLLE, V.

BIRKHEAD, T.R., *see* PARKER, J.S.

BIRKHEAD, T.R., HATCHWELL, B.J. & DAVIES, N.B., Sperm competition and the reproductive organs of the male and female Dunnock *Prunella modularis*, 306

BLACK, JEFFREY M., *see* OWEN, MYRFYN

BLACK, J.M., *see* REES, E.C.

BOLTON, M., MONAGHAN, P. & HOUSTON, D.C., An improved technique for estimating pectoral muscle protein condition from body measurements of live gulls, 264–270

BOST, C.A. & JOUVENTIN, P., The breeding performance of the Gentoo Penguin *Pygoscelis papua* at the northern edge of its range, 14–25

BOURNE, W.R.P., Arabian seabirds, S136

BRADE, JEREMY, *see* WHITFIELD, D. PHILIP

BRADLEY, J.S., SKIRA, I.J. & WOOLER, R.D., A long-term study of Short-tailed Shearwaters *Puffinus tenuirostris* on Fisher Island, Australia, S55–61

BRETAGNOLLE, V., CARRUTHERS, M., CUBITT, M., BIORET, F. & CUILLANDRE, J.-P., Six captures of a dark-rumped, fork-tailed storm-petrel in the northeastern Atlantic, 351–356

British Ornithologists' Union
Annual General Meeting 1991, 442–443
Current Notes and Notices, 107–110, 223–226, 339–342, 444–446
Godman-Salvin Medal citation, 329
Records Committee: Fourteenth Report (August 1990), 218–222
Records Committee: Fifteenth Report (April 1991), 438–441
The year's work: Report of Council 1991, 332–334
The year's work: Accounts, 335–338
Union Medal citation, 331

BROOKER, L.C., *see* BROOKER, M.G.

BROOKER, M.G. & BROOKER, L.C., Eggshell strength in cuckoos and cowbirds, 406–413

BRYANT, DAVID M. & TATNER, PAUL, Intraspecies variation in avian energy expenditure: correlates and constraints, 236–245, *see* Erratum, 134: 1, 88

BURGER, A.E., *see* WANLESS, S.

BYLE, PHILIP A.F., Parental provisioning in the Dunnock *Prunella modularis*: the effects of a variable mating system, 199–204

CARLSON, ALLAN, *see* MORENO, JUAN

CARRUTHERS, M., *see* BRETAGNOLLE, V.

CHRISTIDIS, LES & SCHODDE, RICHARD, Relationships of Australo-Papuan songbirds—protein evidence, 277–285

CLARK, M.S., *see* PARKER, J.S.

COOKE, FRED, *see* FRANCIS, CHARLES M.

CUBITT, M., *see* BRETAGNOLLE, V.

CUILLANDRE, J.-P., *see* BRETAGNOLLE, V.

DAWSON, A., Photoperiodic control of testicular regression and moult in male House Sparrows *Passer domesticus*, 312

DAVIES, N.B., *see* BIRKHEAD, T.R.

DHONDT, ANDRÉ A., How unreliable are cuckoldry estimates using heritability estimates?, 91–94

DUCKWORTH, J.W., Responses of breeding Reed Warblers *Acrocephalus scirpaceus* to mounts of Sparrowhawk *Accipiter nisus*, Cuckoo *Cuculus canorus* and Jay *Garrulus glandarius*, 68–74

DUNNET, G.M., Population studies of the Fulmar on Eynhallow, Orkney Islands, S24–27

Editorial: Long term studies of birds, S1

Editorial: The new *Ibis*, 2

EWINS, P.J., *see* BAZELY, D.R.

FEARE, C.J., Intraspecific nest parasitism in Starlings *Sturnus vulgaris*: effects of disturbance on laying females, 75–79

FJELDSÅ, JON, *see* SMITH, EDMUND, F.G.

FLINT, E.N., Time and energy limits to the foraging radius of Sooty Terns *Sterna fuscata*, 43–46

FRANCIS, CHARLES M. & COOKE, FRED, Changes in survival rates of Lesser Snow Geese, S136

FREDERICK, PETER, *see* BILDSTEIN, KEITH L.

FRIEDRICH, WOLFGANG, *see* BIEBACH, HERBERT

GALBRAITH, E.A., *see* NEWTON, I.

GEBHARDT-HENRICH, SABINE G. & NAGER, RUEDI G., Can extra-pair fertilizations be detected by differences in maternal and paternal heritability estimates?, 93–94

GNAM, ROSEMARIE & ROCKWELL, R.F., Reproductive potential and output of the Bahama Parrot *Amazona leucocephala bahamensis*, 400–405

GRANT, MURRAY C., Relationships between egg size, chick size at hatching, and chick survival in the Whimbrel *Numenius phaeopus*, 127–133

GRATTO-TREVOR, CHERI L., Parental care in Semipalmated Sandpipers *Calidris pusilla*: brood desertion by females, 394–399

GREENWOOD, JEREMY J.D. & BAILLIE, STEPHEN R., Effects of density-dependence and weather on population changes of English passerines using a non-experimental paradigm, S121–133

GUDMUNDSON, GUDMUNDUR A., LINDSTRÖM, ÅKE & ALERSTAM, THOMAS, Optimal fat loads and long-distance flights by migrating Knots *Calidris canutus*, Sanderlings *C. alba* and Turnstones *Arenaria interpres*, 140–152

GUSTAFSSON, LARS, *see* MORENO, JUAN

HATCHWELL, B.J., *see* BIRKHEAD, T.R.

HATCHWELL, B.J., The feeding ecology of young Guillemots *Uria aalge* on Skomer Island, Wales, 153–161

HAILS, C.J., *see* KANG, N.

HARRIS, M.P., *see* WANLESS, S.

HASSELQUIST, DENNIS, *see* BENSCH, STAFFAN

HEDENSTRÖM, ANDERS, *see* BENSCH, STAFFAN

HEINE, GEORG, *see* BIEBACH, HERBERT

HEREDIA, BORJA, ALONSO, JUAN C. & HIRALDO, FERNANDO, Space and habitat use by Red Kites *Milvus milvus* during winter in the Guadalquivir marshes: a comparison between resident and wintering populations, 374–381

HIRALDO, FERNANDO, *see* HEREDIA, BORJA

HOGSTAD, OLAV, The effect of social dominance on foraging by the Three-toed Woodpecker *Picoides tridactylus*, 271–276

HOUSTON, D.C., *see* BOLTON, M.

HUNTER, STEPHEN, The impact of avian predator-scavengers on King Penguin *Aptenodytes patagonicus* chicks at Marion Island, 343–350

JÄRVINEN, ANTERO, A meta-analytic study of the effects of female age on laying-date and clutch-size in the Great Tit *Parus major* and the Pied Flycatcher *Ficedula hypoleuca*, 62–67
JENNI, LUKAS, *see* BIEBACH, HERBERT
JENNI-EIERMANN, SUSANNE, *see* BIEBACH, HERBERT
JOHNSON, DOUGLAS H., Further comments on estimating nest success, 205–207
JOHNSTON, JAMES, *see* BILDSTEIN, KEITH L.
JONES, MARILYN M., Muscle protein loss in laying House Sparrows *Passer domesticus*, 193–198
JOSHUA, S.K., *see* PARKER, J.S.
JOUVENTIN, P., *see* BOST, C.A.

KANG, N., HAILS, C.J. & SIGURDSSON, J.B., Nest construction and egg-laying in Edible-nest Swiftlets *Aerodramus* spp. and the implications for harvesting, 170–177
KOLLAR, H.P. & SEITER, M., Sex ratio and population dynamics of Great Bustards *Otis tarda*, S135
KREBS, CHARLES J., The experimental paradigm and long-term population studies, S3–8

LAMBERT, FRANK R., Fruit-eating by Purple-naped Sunbirds *Hypogramma hypogrammicum* in Borneo, 425–426
LINDSTRÖM, ÅKE, *see* GUDMUNDSON, GUDMUNDUR A.

MCCLEERY, R.H., *see* BAZELY, D.R.
MEIJER, THEO, The effect of a period of food restriction on gonad size and moult of male and female Starlings *Sturnus vulgaris* under constant photoperiod, 80–84
MONAGHAN, P., *see* BOLTON, M.
MONTALVO, SAGRARIO, *see* POTTI, JAIME
MORENO, JUAN, GUSTAFSSON, LARS, CARLSON, ALLAN & PÄRT, TOMAS, The cost of incubation in relation to clutch-size in the Collared Flycatcher *Ficedula albicollis*, 186–192
MORRIS, J.A., *see* WANLESS, S.
MOSS, R. & WATSON, A., Population cycles and kin selection in Red Grouse *Lagopus lagopus scoticus*, S113–120

NAGER, RUEDI G., *see* GEBHARDT-HENRICH, SABINE G.
NEWTON, I., Habitat variation and population regulation in Sparrowhawks, S76–88
NEWTON, I. & GALBRAITH, E.A., Organochlorines and mercury in the eggs of Golden Eagles *Aquila chrysaetos* from Scotland, 115–120
NEWTON, I., WYLLIE, I. & ASHER, A., Mortality causes in British Barn Owls *Tyto alba*, with a discussion of aldrin–dieldrin poisoning, 162–169
NICHOLS, JAMES D., Extensive monitoring programmes viewed as long-term population studies: the case of North American waterfowl, S89–98

O'CONNOR, RAYMOND, Long-term bird population studies in the United States, S36–48
ORMEROD, S.J., *see* TYLER, STEPHANIE, J.
ORMEROD, S.J. & TYLER, STEPHANIE J., The influence of stream acidification and riparian land use on the feeding ecology of Grey Wagtails *Motacilla cinerea* in Wales, 53–61
OTTOSSON, ULF, *see* BENSCH, STAFFAN
OWEN, MYRFYN & BLACK, JEFFREY M., Geese and their future fortune, S28–35

PARKER, J.S., BIRKHEAD, T.R., JOSHUA, S.K., TAYLOR, S. & CLARK, M.S., Sex ratio in a population of Guillemots *Uria aalge* determined by chromosome analysis, 423–425
PARKIN, DAVID T. & WETTON, JON H., The heritability of tarsus-length in House Sparrows *Passer domesticus*, S134
PÄRT, TOMAS, *see* MORENO, JUAN
PEACH, WILL, BAILLIE, STEPHEN & UNDERHILL, LES, Survival of British Sedge Warblers *Acrocephalus schoenobaenus* in relation to west African rainfall, 300
PERCIVAL, S.M., The population structure of Greenland Barnacle Geese *Branta leucopsis* on the wintering grounds on Islay, 357–364
PERRINS, C.M., Tits and their caterpillar food supply, S49–54
PIENKOWSKI, MICHAEL W., Using long-term ornithological studies in setting targets for conservation in Britain, S62–75
POTTI, JAIME & MONTALVO, SAGRARIO, Male colour variation in Spanish Pied Flycatchers *Ficedula hypoleuca*, 293–299

Recent Ornithological Publications, 95–106, 208–217, 317–328, 427–437
REES, E.C., BLACK, J.M., SPRAY, C.J. & THORISSON, S., Comparative study of the breeding success of Whooper Swans *Cygnus cygnus* nesting in upland and lowland regions of Iceland, 365–373
ROCKWELL, R.F., *see* GNAM, ROSEMARIE

SCHMIDL, DIETER, *see* BIEBACH, HERBERT
SCHODDE, RICHARD, *see* CHRISTIDIS, LES
SIGURDSSON, J.B., *see* KANG, N.
SKIRA, I.J. *see* BRADLEY, J.S.
SMITH, EDMUND F.G., ARCTANDER, PETER, FJELDSÅ, JON & AMIR, OSMAN GEDOW, A new species of shrike (Laniidae: *Lanarius*) from Somalia, verified by DNA sequence data from the only known individual, 227–235
SPRAY, C.J., *see* REES, E.C.
SUMMERS, RONALD W. & UNDERHILL, LESLIE G., The relationship between body-size and time of breeding in Icelandic Redshanks *Tringa t. robusta*, 134–139

TATNER, PAUL, *see* BRYANT, DAVID M.
TAYLOR, I.R., The dynamics of a cyclic predator–prey system: the Barn Owl *Tyto alba* and field vole *Microtus agrestis*, S134
TAYLOR, L.R., Proper Studies and the Art of the Soluble, S9–23
TAYLOR, S., *see* PARKER, J.S.
THIOLLAY, JEAN-MARC, Foraging, home range use and social behaviour of a group-living rainforest raptor, the Red-throated Caracara *Daptrius americanus*, 382–393
THOMPSON, D.B.A., *see* THOMPSON, P.S.
THOMPSON, P.S. & THOMPSON, D.B.A., Greenshanks *Tringa nebularia* and long-term studies of breeding waders, S99–112
THORISSON, S., *see* REES, E.C.
TYLER, STEPHANIE J., *see* ORMEROD, S.J.
TYLER, STEPHANIE J. & ORMEROD, S.J., The influence of stream acidification and riparian land-use on the breeding biology of Grey Wagtails *Motacilla cinerea* in Wales, 286–292

UNDERHILL, LESLIE G., *see* PEACH, WILL, SUMMERS, RONALD W.

VAN VESSUM, JANINE, Population dynamics of breeding Grey Herons *Ardea cinerea* in Flanders, Belgium, during the period 1981–1989, S135
VICKERY, JULIET, Breeding density of Dippers *Cinclus cinclus*, Grey Wagtails *Motacilla cinerea* and Common Sandpipers *Actitis hypoleucos* in relation to the acidity of streams in south-west Scotland, 178–185

WANLESS, S., HARRIS, M.P. & MORRIS, J.A., Foraging range and feeding locations of Shags *Phalacrocorax aristotelis* during chick rearing, 30–36
WANLESS, S., BURGER, A.E. & HARRIS, M.P., Diving depths of Shags *Phalacrocorax aristotelis* breeding on the Isle of Man, 37–42
WATSON, A., *see* MOSS, R.
WETTON, JON H., *see* PARKIN, DAVID T.
WHITFIELD, D. PHILIP & BRADE, JEREMY, The breeding behaviour of the Knot *Calidris canutus*, 246–255
WILLIAMS, T.D., Foraging ecology and diet of Gentoo Penguins *Pygoscelis papua* at South Georgia during winter and an assessment of their winter prey consumption, 3–13
WOOLER, R.D., *see* BRADLEY, J.S.

WYLLIE, I., *see* NEWTON, I.

YÉSOU, PIERRE, The sympatric breeding of *Larus fuscus*, *L. cachinnans* and *L. argentatus* in western France, 256–263

YOUNG, L., ZHENG, G.M. & ZHANG, Z.W., Winter movements and habitat use by Cabot's Tragopan *Tragopan caboti* in southeastern China, 121–126

ZHANG, Z.W., *see* YOUNG, L.

ZHENG, G.M., *see* YOUNG, L.

INDEX OF SCIENTIFIC NAMES OF BIRDS

Appearing in original contributions. Each name is indexed under its genus and species and, if trinomial, also under its subspecies
The prefix 'S' before a page number signifies appearance in Supplement 1

aalge, Uria, 34, 153, 423, S65
Acanthizidae, 277
Accipiter cooperi, S87
—— gentilis, S87
—— nisus, 68, 88, 119, 168, S76, S102, S121, S130
—— striatus, S87
acciptrinus, Deroptyus, 391
Acrocephalus arundinaceus, 47
Acrocephalus paludicola, 49
Acrocephalus schoenobaenus, 47, 300
Acrocephalus scirpaceus, 49, 68
Actitis hypoleucos, 178, S99
—— macularia, S36
acuta, Anas, S91
adeliae, Pygoscelis, 14
aedon, Troglodytes, 186
Aegithalos caudatus, S123
aeneus, Dicrurus, 73
aequinoctialis, Procellaria, 4
Aerodramus fuciphagus, 170
—— maximus, 170
aethereus, Phaethon, S137
aethiopicus, Laniarius, 228
affinis, Aythya, S93
Aix sponsa, S91
alba, Calidris, 140, 254, S39
——, Motacilla, S123
——, Tyto, 162, S134
albicilla, Haliaeetus, S71
albicollis, Ficedula, 186, 293
albicollis, Zonotrichia, 309, 314
albifrons, Anser, 113, S65, S91
albus, Eudocimus, S134
Alca torda, 34, 158
Alectoris rufa, S113
alpina, Calidris, 132, 397, S63, S103
aluco, Strix, S78
Amazona leucocephala bahamensis, 400
—— ventralis, 403
—— vittata, 400, S63
americanus, Anas, S91
——, Daptrius, 382
Ammospiza maritima nigrescens, S63
Amphispiza belli, S45
Anas acuta, S91
—— americana, S91
—— clypeata, S93
—— crecca, S91
—— discors, 205, S91
—— platyrhynchos, 205, S90
—— rubripes, S90
—— strepera, S93
Anser albifrons, 113, S67, S91
—— anser, 376, S29
—— brachyrhynchus, S29
—— caerulescens atlanticus, 251, S30
—— c. caerulescens, 357, S136
—— rossi, S34
anser, A., 376, S29
antarctica lonnbergi, Catharacta, 20
——, Pygoscelis, 14
antipodes, Megadyptes, 23
Anthreptes malacensis, 425
—— simplex, 425
Aphelocoma coerulescens, S36
Aphriza virgata, 254
apricaria, Pluvialis, S103
Aptenodytes patagonicus, 3, 343
—— spp. 40
Aquila chrysaetos, 115, 336, S68, S103
arctica, Fratercula, 153
Ardea cinerea, S135
—— purpurea, 300
Arenaria interpres, 140, 252
argentatus, Larus, 111, 256
aristotelis, Phalacrocorax, 30, 37
arquata, Numenius, S99
Artamidae, 277
arundinaceus, Acrocephalus, 47
atlanticus, Anser caerulescens, 251, S30
atroccineus, Laniarius, 229
atroflavus, Laniarius, 229
audeberti, Pachycoccyx, 73
Aviceda cuculoides, 73
—— madagascariensis, 73
avosetta, Recurvirostra, S99
Aythya affinis, S93
—— collaris, S91
—— valisineria, S91

bahamensis, Amazona leucocephala, 400
barbarus, Laniarius, 229
belli, Amphispiza, S45
bernicla hrota, Branta, S29
—— Branta, 113, S34, S91
Bias musicus, 429
bicolor, Laniarius, 228
bicolor, Tachycineta, 242
borealis, Picoides, S37
borin, Sylvia, 418
Brachyramphus marmoratus, 424
brachyrhynchus, Anser, S29
Branta bernicla hrota, S29
Branta bernicla, 113, S34, S91
—— canadensis, S29, S67, S91
—— leucopsis, 111, 357, S29, S67
brevicaudata, Camaroptera, 193
Bubulcus ibis, S41
buccinator, Cygnus, S91
bullockoides, Merops, 199
Buteo buteo, S87
—— galapagoensis, 26, 392
—— lagopus, S87
buteo, B., S87

caboti, Tragopan, 121
caerulescens, Anser c., 357, S136
—— atlanticus, Anser, 251, S30
——, Chen, 113, S36
Cacatua galerita, 423
—— magnificus, 403
Cacomantis spp., 406
caeruleus, Parus, 186, 238, S49
Calidridinae, 246
Calidris alba, 140, 254, S39
—— alpina, 132, 397, S63, S103
—— canutus, 140, 246, S63
—— maritima, 254, 397
—— minutilla, 138, 397
—— pusilla, 394
—— tenuirostris, 254
Calyptorhynchus funereus, 403
Camaroptera brevicaudata, 193
Campephagidae, 277
canadensis, Branta, S29, S67, S91
cannabina, Carduelis, S129
canorus, Cuculus, 58
canus, Larus, S103
canutus, Calidris, 140, 246, S63
capensis, Oena, 430
carbo, Phalacrocorax, S63
Cardinalis cardinalis, S41
cardinalis, C., S41
Carduelis cannabina, S129
Carpodacus mexicanus, S40
caspia, Sterna, S137
Catharacta antarctica lönnbergi, 20, 343
caudatus, Aegithalos, S123
Cepphus grylle, 158
Ceryle rudis, 237
chalybea, Nectarinia, 425
Charadrius hiaticula, 127
—— morinellus, S99
cheimomnestes, Oceanodroma, 352
Chen caerulescens, 113, S36
Chionis minor, 343
Chloropsis cyanopogon, 425
chrysaetos, Aquila, 115, S68, S103
Chrysococcyx spp., 406
chrysocome, Eudyptes, 349
chrysolophus, Eudyptes, 4, 23, 349
Ciconia ciconia, 300
ciconia, C., 300
Cinclus cinclus, 53, 178, 237, 286
cinclus, C., 53, 178, 237, 286
cinerea, Ardea, S135
—— Motacilla, 53, 178, 286
cinereus, Xenus, S106
cirrhata, Lunda, 424
Clamator spp., 406
Clamator glandarius, 68
—— jacobinus, 410
Climacteridae, 277
clypeata, Anas, S93
coerulescens, Aphelocoma, S36
colchicus, Phasianus, 121
collaris, Aythya, S91
—— Prunella, 306
collurio, Lanius, 419
Columba palumbus, 312
columbarius, Falco, 119, S68, S87, S103
communis, Sylvia, 300
cooperi, Accipiter, S87
Coracina fimbriata, 73
corax, Corvus, S103
cornix, Corvus corone, 131, 150, S102
corone cornix, Corvus, 131, S102
Corvidae, 277
Corvus corax, S103
—— corone cornix, 131, 150, S102
—— frugilegus, 80, 88, 312
Coturnix coturnix, 312
coturnix, C., 312
Cracticidae, 277
crecca, Anas, S91
cristatus, Parus, 238
cuculoides, Aviceda, 73
Cuculus, 406
—— canorus, 68
cyanea, Passerina, S39
cyanocephalus, Gymnorhinus, S37
Cyanoliseus patagonus, 400
cyanopogon, Chloropsis, 425

Cyanorhamphus n. novaezelandiae, 403
Cygnus buccinator, S91
—— cygnus, 365
cygnus, C., 365
Cygnus olor, 269, 272

Daptrius americanus, 382
Delichon urbica, 237
Dendroica discolor, S36
—— kirtlandii, 205
Deroptyus acciptrinus, 391
desolata, Pachyptila, 4
Dicrurus aeneus, 73
Diomedea exulans, S36
discolor, Dendroica, S36
——, Leptosomus, 73
discors, Anas, 205, 429, S91
domesticus, Passer, 80, 193, 312, S134

ellsworthi, Pygoscelis papua, 14
Eopsaltriidae, 277
Erithacus rubecula, 239
erythrophthalmus, Pipilo, 309
erythropus, Tringa, S106
Eudocimus albus, S134
Eudyptes chrysocome, 349
Eudyptes chrysolophus, 3, 23, 349
exulans, Diomedea, S60

Falco columbarius, 119, S68, S87, S103
—— peregrinus, 119, S65, S87, S102
—— sparverius, 379
—— rusticolus, 251, S87
—— tinnunculus, 41, 51
ferrugineus, Laniarius, 229
Ficedula albicollis, 186, 293
—— hypoleuca, 62, 93, 186, 293, S134
fimbriata, Coracina, 73
flava, Motacilla, 416
formicivorus, Melanerpes, S37
Fratercula arctica, 153
Fringilla montifringilla, 83
frugilegus, Corvus, 80, 88, 312
fuciphagus, Aerodramus, 170
fulicarius, Phalaropus, S137
fulleborni, Laniarius, 229
Fulmaris glacialis, 119, S24, S36
funebris, Laniarius, 228
funereus, Calyptorhynchus, 403
fuscata, Sterna, 43
fuscus, Larus, 111, 193, 264, 392, S103

galapagoensis, Buteo, 26
galerita, Cacatua, 423
Garrulus glandarius, 68, S78
gentilis, Accipiter, S87
georgiana, Melospiza, 309
Geranospiza spp., 385
glacialis, Fulmarus, 119, S24, S36
glandarius, Garrulus, 68, S78
goiavier, Pycnonotus, 193
grylle, Cepphus, 158
Gymnorhinus cyanocephalus, S37

habroptilus, Strigops, 400
Haematopus palliatus, 132
Haliaeetus albicilla, S71
haliaetus, Pandion, S137
halli, Macronectes, 343
Henicopernis spp., 392
hiaticula, Charadrius, 127
himantopus, Micropalama, 138
Hirundo pyrrhonata, 79, S41
—— rustica, 238, 418, S41
—— tahitica, 242
homochroa, Oceanodroma, 353
hrota, Branta bernicla, S29
hyemalis, Junco, 309
Hypogramma hypogrammicum, 425
hypogrammicum, Hypogramma, 425
hypoleuca, Ficedula, 62, 93, 186, 293, S134
hypoleucos, Actitis, 178, S99

ibis, Bubulcus, S41
interpres, Arenaria, 140, 252
islandica, Calidris canutus, 141

jacobinus, Clamator, 410
Junco hyemalis, 309

kirtlandii, Dendroica, 205

Lagopus lagopus, S36
—— —— scoticus, 131, S113
lagopus L., S36
——, Buteo, S87
Laniarius ferrugineus, 228
—— funebris, 228
—— leucorhynchus, 230
—— liberatus (sp. nov.), 228
—— luhderi, 228
—— mufumbiri, 228
—— poensis, 228
—— ruficeps, 228
—— turatii, 228
Lanius collurio, 419
—— ludovicianus, S40
—— senator, 47
lapponica, Limosa, S106
Larus argentatus, 256
—— cachinnans, 256
—— dominicanus, 343
—— fuscus, 111, 193, 256, 264, S103
—— marinus, S103
—— ridibundus, S137
—— (heuglini?) taimyrensis, S137
Leptosomus discolor, 73
leucocephala bahamensis, Amazona, 400
leucopsis, Branta, 357, S29, S67
leucorhoa, Oceanodroma, 351
leucorhynchus, Laniarius, 230
lherminieri persicus, Puffinus, S137
Limosa lapponica, S106
lobatus, Phalaropus, S39, S137
Locustella luscinioides, 47
lomvia, Uria, 153
Lonchura striata, 186
lonnbergi, Catharacta antarctica, 20
ludovicianus, Lanius, S40
lugubris, Surniculus, 73
luhderi, Laniarius, 228
Lunda cirrhata, 424
luscinioides, Locustella, 47
Lymnocryptes minimus, S106

Macronectes giganteus, 343
—— halli, 343
Macropygia spp., 73
macularia, Actitis, S36
——, Tringa, S39
madagascariensis, Aviceda, 73
magnificus, Cacatua, 403
major, Parus, 62, 88, 91, 131, 297, S4, S36, S49, S113
malacencis, Anthreptes, 425
Maluridae, 277
marinus, Larus, S103
maritima, Calidris, 254
—— nigrescens, Ammospiza, S63
marmoratus, Brachyramphus, 424
maurina, Calidris, 397
maximus, Aerodramus, 170
Melanerpes formicivorus, S37
melanoleucus, Spizastur, 392
Meliphagidae, 277
melodia, Melospiza, 309, S36
Melospiza georgiana, 309
—— melodia, 309, S36
Menuridae, 277
Merops bullockoides, 199
merula, Turdus, 238
mexicanus, Carpodacus, S40
Micropalama himantopus, 138
migrans, M., 374, 380
Milvus migrans, 374, 380
—— milvus, 374
milvus, M., 374
Mimus polyglottos, 238, S41
minimus, Lymnocryptes, S106
minor, Chionis, 343
minutilla, Calidris, 138, 397
modularis, Prunella, 68, 199, 306
monachus, Myiopsitta, 400
Monarchidae, 277
monorhis, Oceanodroma, 351
montanus, Passer, S129
montifringilla, Fringilla, 83
morinellus, Charadrius, S99
Motacilla alba, S123
—— cinerea, 53, 178, 286
—— flava, 416
mufumbiri, Laniarius, 228
Muscicapa striata, 419
musicus, Bias, 429
Myiopsitta monachus, 400

nebularia, Tringa, 132, S99
Nectarinia chalybea, 425
—— sperata, 425
nigrescens, Ammospiza maritima, S63
nigrogularis, Phalacrocorax, S136
nisus, Accipiter, 68, 88, 119, 168, S76, S102, S121, S130
novaezelandiae Cyanorhamphus n., 403
Numenius arquata, S99
—— phaeopus, 127
Nyctea scandiaca, S42

Oceanodroma cheimomnestes, 352
—— homochroa, 353
—— leucorhoa, 351
—— monorhis, 351
—— socoroensis, 352
—— tethys, 351
ochropus, Tringa, S106
Oena capensis, 430
Oenanthe oenanthe, 238
oenanthe, O., 238
olor, Cygnus, 269, 372
Oriolidae, 277
ornatus, Spizaetus, 392
Orthonictidae, 277
Otis tarda, S135

Pachycephalidae, 277
Pachycoccyx audeberti, 73
Pachyptila desolata, 4
palliatus, Haematopus, 131
palumbus, Columba, 312
Pandion haliaetus, S137
papa, Sarcorhamphus, 390
Parabuteo unicinctus, 392, S37

paradisaea, Sterna, S63
Paradisaeidae, 277
parasiticus, Stercorarius, S103
Pardalotidae, 277
papua, Pygoscelis, 3, 14
Parus caeruleus, 186, 239, S49
—— major, 62, 88, 91, 131, 297, S4, S36, S49, S121
Passer domesticus, 80, 193, 312, S134
—— montanus, S129
Passerculus sandwichensis, 238
Passerina cyanea, S39
patagonicus, Aptenodytes, 343
patagonus, Cyanoliseus, 400
Perdix perdix, S36
perdix, P., S36
peregrinus, Falco, 119, S65, S87, S102
Pernis spp., 392
persicus, Puffinus lherminieri, S137
phaeopus, Numenius, 127
Phaethon aethereus, S137
Phalacrocorax aristotelis, 30, 37
—— carbo, S63
—— nigrogularis, S137
—— spp. 40
Phalaropus fulicarius, S137
—— lobatus, S39, S137
Phasianus colchicus, 121
philomelos, Turdus, S113
Phylloscopus trochilus, 193, 418
Pica pica, 85
pica, P., 85
Picoides borealis, S37
—— pubescens, 271
—— tridactylus, 271
Pipilo erythrophthalmus, 309
platyrhynchos, Anas, 205, S90
Pluvialis apricaria, S103
—— squatarola, S69
poensis, Laniarius, 228
Polyboroides spp., 385
polyglottos, Mimus, 238, S41
Pomatostomus temporalis, 199
Procellaria aequinoctialis, 4
Progne subis, 238
Prunella collaris, 306
—— modularis, 68, 199, 306
Psarocolius viridis, 385
Ptilinorhynchidae, 277
pubescens, Picoides, 271
Puffinus lherminieri persicus, S137
—— puffinus, 290
—— tenuirostris, S55
puffinus, P., 290
purpurea, Ardea, 300
pusilla, Calidris, 394
——, Spizella, 309, S45
Pycnonotus goiavier, 193
Pygoscelis adeliae, 14
—— antarctica, 14
—— papua, 3, 14
pyrrhocorax, P., 71
Pyrrhocorax pyrrhocorax, S71
pyrrhonota, Hirundo, 79, S41

Quelea quelea, 193, 264
quelea, Q., 193, 264

Ramphastos tucanus, 391
—— vitellinus, 391
Recurvirostra avosetta, S99
regulus, R., S123
Regulus regulus, S123
repressa, Sterna, S137
ridibundus, Larus, S137
Riparia riparia, 238, 300
riparia, R., 238, 300
Rissa tridactyla, S4, S36, S63
robusta, Tringa totanus, 133
rossi, Anser, S34
rubripes, Anas, S90
rudis, Ceryle, 237
rufa, Alectoris, S113
ruficeps, Laniarius, 228
Rupicola rupicola, 390
rupicola, R., 390
rustica, Hirundo, 238, 418, S41
rusticolus, Falco, 251, S87

sandwichensis, Passerculus, 238
Sarcorhamphus papa, 390
scandiaca, Nyctea, S42
scirpaceus, Acrocephalus, 49, 68
scoticus, Lagopus l., 131, S113
senator, Lanius, 47
simplex, Anthreptes, 425
skua, Stercorarius, S103
socoroensis, Oceanodroma, 352
sparverius, Falco, 379
sperata, Nectarinia, 425
Spizaetus ornatus, 392
Spizastur melanoleucus, 392
Spizella pusilla, 309, S45
sponsa, Aix, S91
squatorola, Pluvialis, S69
stagnatilis, Tringa, S106
Stercorarius parasiticus, S103
—— skua, S103
Sterna caspia, S137
—— fuscata, 43
—— paradisaea, S63
—— repressa, S137
strepera, Anas, S93
striata, Muscicapa, 419
striatus, Accipiter, S87
Strigops habroptilus, 400
Strix aluco, S78
Sturnus vulgaris, 75, 80, 237, 312, S41
Sula sula, 26
sula, S., 26
Surniculus lugubris, 73
Sylvia communis, 300
—— borin, 418

Tachycineta bicolor, 242
tahitica, Hirundo, 242
taimyrensis, Larus, S137
tarda, Otis, S135
temporalis, Pomatostomus, 199
tenuirostris, Calidris, 254
——, Puffinus, S55
tethys, Oceanodroma, 351
tinnunculus, Falco, 41, 51
torda, Alca, 30, 158
totanus, Tringa, 132
Tragopan caboti, 121
tridactyla, Rissa, S4, S36, S63
tridactylus, Picoides, 271
Tringa actitis, 240
—— erythropus, S106
—— macularia, S39, S99
—— nebularia, 132
—— ochropus, S106
—— stagnatilis, S106
—— totanus, 132
—— totanus robusta, 133
trochilus, Phylloscopus, 193, 418
Troglodytes aedon, 186
—— troglodytes, S123
troglodytes, T., S123
tucanus, Ramphastos, 391
turatii, Laniarius, 229
Turdus merula, 238
—— philomelos, S121
Tyto alba, 162, S134

unicinctus, Parabuteo, 392, S37
urbica, Delichon, 237
Uria aalge, 34, 153, 423, S65
—— lomvia, 153

valisineria, Aythya, S91
Vanellus vanellus, 127, S64, S99
vanellus, V., 127, S65, S99
virgata, Aphriza, 254
viridis, Psarocolius, 385
vitellinus, Ramphastos, 391
vittata, Amazona, 400, S63
vulgaris, Sturnus, 75, 80, 237, S41

Xenus cinereus, S106

Zonotrichia albicollis, 309, 314